

WEST Search History

DATE: Friday, May 11, 2007

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L101	L100 and translat\$4	4
<input type="checkbox"/>	L100	197 and (java near5 interfac\$3)	6
<input type="checkbox"/>	L99	197 and (pipe near5 input\$4)	0
<input type="checkbox"/>	L98	L97 and pipeline	2
<input type="checkbox"/>	L97	(object and orient\$3 and gui).ti.ab. and @py<=2004	128
<input type="checkbox"/>	L96	L95 and (configur\$4 near5 file\$1)	2
<input type="checkbox"/>	L95	L94 and (window near5 configur\$4)	38
<input type="checkbox"/>	L94	L93 and (module\$1 near5 type\$1)	120
<input type="checkbox"/>	L93	(window near5 page\$1) and gui and module\$1 and @py<=2004	607
<input type="checkbox"/>	L92	(gui and java).ti. and @py<=2004	11
<input type="checkbox"/>	L91	(gui and java and module\$1).ti. and @py<=2004	0
<input type="checkbox"/>	L90	(gui and software and module\$1).ti. and @py<=2004	3
<input type="checkbox"/>	L89	(pipeline and software).ti. and @py<=2004	0
<input type="checkbox"/>	L88	(pipeline and software).ab. and @py<=2004	1
<input type="checkbox"/>	L87	(pipeline and software).clm. and @py<=2004	1
<input type="checkbox"/>	L86	L85 and java	0
<input type="checkbox"/>	L85	(graphical and software and module\$1).ti. and @py<=2004	8
<input type="checkbox"/>	L84	6664981.uref.	2
<input type="checkbox"/>	L83	L80 and (software near5 module\$1)	2
<input type="checkbox"/>	L82	L80 and (configur\$5 near5 file\$1)	0
<input type="checkbox"/>	L81	L80 and java	0
<input type="checkbox"/>	L80	(GUI and module\$1).ti. and @py<=2004	16
<input type="checkbox"/>	L79	(GUI and window\$1 and module\$1).ti. and @py<=2004	2
<input type="checkbox"/>	L78	L77 and (configur\$5 near5 file\$1)	30
<input type="checkbox"/>	L77	L76 and (java near5 reflection\$1)	30
<input type="checkbox"/>	L76	L75 and class and instance and generat\$3	30
<input type="checkbox"/>	L75	L74 and (module\$1 near5 type\$1)	30
<input type="checkbox"/>	L74	L70 and java	30
<input type="checkbox"/>	L73	L70 and (GUI near5 page)	0
<input type="checkbox"/>	L72	L70 and (pipe near5 input)	0

<input type="checkbox"/>	L71	L70 and (pipeline near5 module\$1)	0
<input type="checkbox"/>	L70	L69 and (pipeline near5 process\$3)	32
<input type="checkbox"/>	L69	(software near5 module\$1) and (window near5 GUI) and @py<=2004	700
<input type="checkbox"/>	L68	L67 and (user near5 interfac\$3)	15
<input type="checkbox"/>	L67	L66 and (object near5 orient\$3)	15
<input type="checkbox"/>	L66	L65 and object\$1	18
<input type="checkbox"/>	L65	L64 and gui	18
<input type="checkbox"/>	L64	L63 and pipeline	36
<input type="checkbox"/>	L63	(software near5 module\$1) and (generat\$3 near5 module\$1) and (modify\$3 near5 module\$1) and @py<=2004	606
<input type="checkbox"/>	L62	L61 and (generat\$3 same modify\$3) and module\$1	9
<input type="checkbox"/>	L61	(pipeline near5 architecture) and (object near5 orient\$3) and @py<=2004	76
<input type="checkbox"/>	L60	L59 and gui	7
<input type="checkbox"/>	L59	L58 and (modify\$3 near5 code)	23
<input type="checkbox"/>	L58	L57 and (generat\$3 near5 code)	92
<input type="checkbox"/>	L57	(software near5 module\$1) and (c++ near5 module\$1) and @py<=2004	253
<input type="checkbox"/>	L56	(pipeline near5 architecture) and (c++ near5 module\$1) and @py<=2004	0
<input type="checkbox"/>	L55	L51 and pipeline	32
<input type="checkbox"/>	L54	L51 and (pipeline near5 component\$1)	0
<input type="checkbox"/>	L53	L51 and (pipeline near5 gui)	0
<input type="checkbox"/>	L52	L51 and (pipeline near5 window)	0
<input type="checkbox"/>	L51	(java near5 reflection) and (software near5 module\$1) and @py<=2004	89
<input type="checkbox"/>	L50	(java near5 reflection) same (software near5 module\$1) and @py<=2004	0
<input type="checkbox"/>	L49	L48 and (java near5 instance\$1)	16
<input type="checkbox"/>	L48	L47 and (java near5 class\$1)	56
<input type="checkbox"/>	L47	L46 and (gui near5 object\$1)	56
<input type="checkbox"/>	L46	L34 and (gui near5 component\$1)	83
<input type="checkbox"/>	L45	L44 and gui	3
<input type="checkbox"/>	L44	L43 and (java near5 class\$1)	23
<input type="checkbox"/>	L43	java and (pipeline\$1 near5 architecture) and @py<=2004	93
<input type="checkbox"/>	L42	L34 and (pipeline\$1 near5 architecture)	0
<input type="checkbox"/>	L41	L34 and (pipeline\$1 near5 interfac\$3)	0
<input type="checkbox"/>	L40	L39 and (window near5 configur\$4)	1
<input type="checkbox"/>	L39	L38 and (java near5 reflection)	6
<input type="checkbox"/>	L38	(object near5 orient\$3) and (gui near5 module\$1) and @py<=2004	267
<input type="checkbox"/>	L37	L35 and (configuration near5 file\$1)	8
<input type="checkbox"/>	L36	L35 and (configuration near5 module\$1)	0
<input type="checkbox"/>	L35	L34 and (gui near5 module\$1) and instance\$1	11

<input type="checkbox"/>	L34	(software near5 module\$1) and (java near5 class\$1) and @py<=2004	565
<input type="checkbox"/>	L33	L31 and (gui near5 module\$1)	1
<input type="checkbox"/>	L32	L31 and (gui near5 pipeline)	0
<input type="checkbox"/>	L31	(pipeline near5 software) and (software near5 module\$1) and @py<=2004	78
<input type="checkbox"/>	L30	L28 and (window near5 programm\$3)	0
<input type="checkbox"/>	L29	L28 and (pipe near5 input)	0
<input type="checkbox"/>	L28	L27 and (configuration near5 file\$1)	11
<input type="checkbox"/>	L27	L26 and display\$3	11
<input type="checkbox"/>	L26	L25 and (java near5 instance)	11
<input type="checkbox"/>	L25	L24 and (java near5 class)	20
<input type="checkbox"/>	L24	L23 and (user near5 defin\$3)	20
<input type="checkbox"/>	L23	(gui near5 java) and (java near5 reflection) and @py<=2004	28
<input type="checkbox"/>	L22	(gui near5 java) and (java near5 reflection) and (java near5 module\$1) and (user near5 defin\$3) and instance and class and @py<=2004	0
<input type="checkbox"/>	L21	L19 and L16	1
<input type="checkbox"/>	L20	L19 and L9	0
<input type="checkbox"/>	L19	5666501.uref.	45
<input type="checkbox"/>	L18	(software and object\$1 and gui).ti. and @py<=2004	6
<input type="checkbox"/>	L17	L16 and (pipe near5 module\$1)	1
<input type="checkbox"/>	L16	L15 and (gui near5 window)	170
<input type="checkbox"/>	L15	(gui same (software near5 module\$1)) and @py<=2004	601
<input type="checkbox"/>	L14	L13 and (java near5 reflection)	30
<input type="checkbox"/>	L13	L12 and ((user near5 defin\$3) same (object\$1 or module\$1))	31
<input type="checkbox"/>	L12	L9 and (pipeline near5 input)	32
<input type="checkbox"/>	L11	L9 and (pipeline near5 architecture\$1)	1
<input type="checkbox"/>	L10	L9 and (pipeline near5 gui)	0
<input type="checkbox"/>	L9	(software near5 module\$1) and (user near5 interfac\$3) and (java near5 object\$1) and @py<=2004	1154
<input type="checkbox"/>	L8	(software nar5 module\$1) and (user near5 interfac\$3) and (java near5 object\$1) and @py<=2004	0
<input type="checkbox"/>	L7	L6 and (gui near5 programm\$3)	1
<input type="checkbox"/>	L6	(pipeline near5 interfac\$3) and (java near5 object\$1) and @py<=2004	25
<input type="checkbox"/>	L5	(pipeline near5 menu) and (java near5 code) and @py<=2004	1
<input type="checkbox"/>	L4	L3 and (user near5 interfac\$3)	4
<input type="checkbox"/>	L3	(pipeline) same (java near5 code) and @py<=2004	14
<input type="checkbox"/>	L2	("5255107 " "5321527 " "5367386 " "4821332 " "5600732 " "5627662 " "5754674 " "5195133 " "5231578 " "5297202 " "5299026 " "5452379 " "5491628 " "5502555 " "5504674 " "5544255 " "5544048 " "5619571 " "5642288 " "5647017 " "5649216 " "5672060 " "5721910 " "5727174 " "5784286 " "5818955 " "5877963 " "5898156 " "5933823 " "6021186 "	91

"6064751 " "6069681 " "6078051 " "6092104 " "6160926 " "6161107 "
"6189009 " "6198835 " "6223190 " "6232973 " "6272484 " "6292273 "
"6301020 " "6303921 " "6348962 " "6381344 " "6396518 " "6441927 "
"6442595 ")!.ABPN1,NRPN,PN,TBAN,WKU.

(5255107 5321527 5367386 4821332 5600732 5627662 5754674 5195133
5231578 5297202 5299026 5452379 5491628 5502555 5504674 5544255
5544048 5619571 5642288 5647017 5649216 5672060 5721910 5727174
5784286 5818955 5877963 5898156 5933823 6021186 6064751 6069681
6078051 6092104 6160926 6161107 6189009 6198835 6223190 6223190
6232973 6272484 6292273 6301020 6303921 6348962 6381344 6396518
6441927 6442595).pn.



L1

0

END OF SEARCH HISTORY

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about 969,000 for [java core reflection api](#). (0.15 seconds)**[java.lang.reflect \(Java 2 Platform SE v1.4.2\)](#)**

Reflection allows programmatic access to information about the fields, ... For further **API** reference and developer documentation, see **Java 2 SDK SE** ...

[java.sun.com/j2se/1.4.2/docs/api/java/lang/reflect/package-summary.html](#) - 13k -

[Cached](#) - [Similar pages](#)

[Java Core Reflection](#)

The **Java(TM) Core Reflection API** provides a small, type-safe, and secure **API** ... The **Java** security manager controls access to the **Core Reflection API** on a ...

[java.sun.com/j2se/1.3/docs/guide/reflection/spec/java-reflection.doc.html](#) - 22k -

[Cached](#) - [Similar pages](#)

[[More results from java.sun.com](#)]

[PDF] [ICS 23 Discussion Today's Outline Java Core Reflection API ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Java Core Reflection API. • Determine info based on runtime classes,. fields, methods, and constructors. • Class and object introspection ...

[www.ics.uci.edu/~jfulong/ics23/ICS23_Discussion5.pdf](#) - [Similar pages](#)

[Java Core Reflection](#)

The **Java(TM) Core Reflection API** provides a small, type-safe, and secure **API** that supports introspection about the classes and objects in the current **Java** ...

[remus.rutgers.edu/~mcgrew/Java-Docs/jdk1.2.2/docs/guide/reflection/spec/java-reflection.doc.html](#) - 22k - [Cached](#) - [Similar pages](#)

[PDF] [LECTURE 8 The Java Core Reflection](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

browsers, dynamic analysis tools for **Java** programs, etc. • **Java Core Reflection** is an **API** with methods to: - Determine the class of an object at runtime ...

[www.site.uottawa.ca/~tcl/seg3310/coursenotes/Lecture8-JavaReflection.pdf](#) -

[Similar pages](#)

[ReflectionSupport \(xBus - API Documentation\)](#)

java.lang.Object extended by **net.sf.xbus.base.core.reflection**. ... provides methods to create objects and call methods with the **reflection API** more easy. ...

[xbus.sourceforge.net/javadoc/net/sf/xbus/base/core/reflection/ReflectionSupport.html](#) -

16k - [Cached](#) - [Similar pages](#)

[Overcome J2SE 1.3-1.4 incompatibilities - Java World](#)

Luckily, code tricks with the **Reflection API** and compile tricks with Ant can ... However, when an **API** is part of the **core Java** classes, an **API** change can ...

[www.javaworld.com/javaworld/jw-09-2003/jw-0926-overcome.html](#) - 63k - May 10, 2007 -

[Cached](#) - [Similar pages](#)

[Speed up batch file processing using generic programming and core ...](#)

Java Core Reflection is the key to the solution, and using ObjectSpace's **Java Generic Library** allows the solution to be elegant to boot.

[www.javaworld.com/javaworld/jw-11-1998/jw-11-batch.html](#) - 42k - May 9, 2007 -

[Cached](#) - [Similar pages](#)

Java Reflection

Take an in-depth look at the **Java Reflection API** When you are creating ... and **core reflection** Approaching conventional batch file processing with **Java** in a ...
www.javaolympus.com/J2SE/Reflection/Reflection.jsp - 49k - [Cached](#) - [Similar pages](#)

20.8. Section 20.8: Introspection (Java core reflection)

Section 20.8: Introspection (**Java core reflection**). No changes are made to the behavior of introspection. The current state of all fields is exposed to the ...
www.solarmetric.com/Software/Documentation/jdospec/jdo20.8.html - 3k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)

WebResults 31 - 40 of about 969,000 for [java core reflection api](#). (0.14 seconds)**[CS 4773 Object Oriented Systems Spring 1999: Java Beans](#)**

Much of this comes from the [Java Beans Tutorial](#), the [JDK 1.1.5 documentation](#), ... One of the new classes in the **Core Reflection API** is the [Method class](#). ...

[vip.cs.utsa.edu/classes/cs4773s99/notes/cs4773.topic13.html](#) - 13k -

[Cached](#) - [Similar pages](#)

[com.thoughtworks.xstream.converters.reflection \(XStream Core 1.2.1 ...](#)

ReflectionProvider, Provides **core reflection** services. ... Pure **Java** ObjectFactory that instantiates objects using standard **Java reflection**, ...

[xstream.codehaus.org/javadoc/com/thoughtworks/xstream/converters/reflection/package-summary.html](#) - 13k - [Cached](#) - [Similar pages](#)

[SmartMethod](#)

Java#8482; Core Reflection API and Specification. Technical report, SUN Microsystems, Feb. 1997. 14 SUN Microsystems. **Java#8482; Remote Method Invocation** ...

[portal.acm.org/citation.cfm?id=968164&dl=&coll=&CFID=15151515&CFTOKEN=6184618](#) -

[Similar pages](#)

[Overview](#)

The **JavaTM Core Reflection API** provides a small, type-safe and secure **API** which supports introspection about the classes and objects in the current **Java** ...

[tns-www.lcs.mit.edu/manuals/java-api-1.1beta2/guide/reflection/html/java-](#)

[reflection.doc.html](#) - 21k - [Cached](#) - [Similar pages](#)

[JavaTM Core Reflection](#)

JavaTM Core Reflection. API and Specification. October 1996 ... The class [java.lang.reflect.InvocationTargetException](#) ...

[tns-www.lcs.mit.edu/manuals/java-api-1.1beta2/guide/reflection/html/java-](#)

[reflectionTOC.doc.html](#) - 14k - [Cached](#) - [Similar pages](#)

[[More results from tns-www.lcs.mit.edu](#)]

[Java 911, MIND, February 1997](#)

Version 1.1 of the **JDK** (which is likely to be in beta release by the time you read this) will introduce the **Java Core Reflection API**. This **API** will enable ...

[www.microsoft.com/mind/0297/Java9110297.asp](#) - 31k - [Cached](#) - [Similar pages](#)

[Amazon.com: Hardcore Java: Books: Robert Simmons](#)

and the **reflection API**. The coverage clearly derives from the author's "lessons ... A good opportunity to discuss Design by Contract and how it's **core** ...

[www.amazon.com/Hardcore-Java-Robert-Simmons/dp/0596005687](#) - 133k - May 9, 2007 -

[Cached](#) - [Similar pages](#)

[Java SE Intermed Splitting -> ...](#)

Java 5 New Language Features Exam; Java SE Reflection API Exam ... May be should we specify that only the "**Java SE Core - Intermed**" will be mandatory for ...

[www.javalobby.org/java/forums/t69756.html](#) - 33k - [Cached](#) - [Similar pages](#)

[openide: Opinion](#)

Y01 Not documented stability of "[netbeans.javacore.noscan](#)" **api**. ... Fix **reflection** from **javacore** on **JavaEditor** (guarded sections) - will be difficult as the ...

openide.netbeans.org/tutorial/reviews/opinions_44492.html - 22k - [Cached](#) - [Similar pages](#)

JGFNWG Minutes 6-June-2000

The **reflection API** must be modified to sense this bit and return an appropriate indicator. ...
then this class would have to be made part of the **Java core**. ...

math.nist.gov/javanumerics/reports/jgfnwg-minutes-6-00.html - 19k -

[Cached](#) - [Similar pages](#)

Result Page: **[Previous](#)** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) **[Next](#)**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)

WebResults 51 - 60 of about 1,050,000 for [java core reflection api](#). (0.07 seconds)**Reflection on Tiger: Changes in the Reflection API in JDK 1.5**

Get **Java** white papers, product information, case studies and webcasts ... This article examines the modifications to the **Reflection API** that are now ...

[www.theserverside.com/news/thread.tss?thread_id=24386](#) - 47k - [Cached](#) - [Similar pages](#)

perl.com: Using Java Classes in Perl

Writing out org::apache::jackrabbit::core::TransientRepository or ... I made heavy use of the **Java Reflection API** to make this happen. ...

[www.perl.com/pub/a/2006/12/21/using-java-classes.html](#) - 28k - [Cached](#) - [Similar pages](#)

Reflection & Introspection: Objects Exposed

The **Reflection API** The **Reflection API** became a part of **core Java** with release 1.1 of the JDK. The **API** is defined across the following: ...

[www2.sys-con.com/ITSG/virtualcd/java/archives/0305/sagar2/index.html](#) - 24k - [Cached](#) - [Similar pages](#)

JOT: Journal of Object Technology - SmartReflection: Efficient ...

The **Java core reflection** library [13] provides the programmer with classes ... with exactly the same functionality (both in terms of **API** interface and use ...

[www.jot.fm/issues/issue_2004_12/article6](#) - 60k - [Cached](#) - [Similar pages](#)

Java Skyline: Java Servlet/Server Headline News

Learning Server **Core** Technologies: **Java Skyline**: Learning pages provide learning ... the **Java** language gained the **reflection API** and has developed important ...

[www.javaskyline.com/learning.html](#) - 81k - [Cached](#) - [Similar pages](#)

Bug ID: 4635674 Java core dump upon starting SMC

hotspot:compiler1, **Java core** dump upon starting SMC, State: closed, Reported: ... the **reflection** code to generate bytecodes instead of using the **Unsafe API**. ...

[bugs.sun.com/bugdatabase/view_bug.do?bug_id=4635674](#) - 28k - [Cached](#) - [Similar pages](#)

[PDF] Reflections on remote reflection - Computer Science Conference ...

File Format: PDF/Adobe Acrobat

The second, and most important reason, is that the **core reflection** classes. are. defined. as. f. i. n. (? 1. in the standard **Java API**, ...

[ieeexplore.ieee.org/iel5/7265/19602/00906638.pdf](#) - [Similar pages](#)

Write Adaptive, Dynamic Code Using Reflection

Java's Reflection API allows you to write code that adapts to runtime conditions. ... (JAAS is part of the **core** JDK as of **Java** 1.4 and is available as a ...

[www.devx.com/Java/Article/27798](#) - 101k - [Cached](#) - [Similar pages](#)

Reflection Documentation

Reflection Specification. Java Core Reflection Specification. Reflection API Reference (javadoc). java.reflection Package ...

[www.science.uva.nl/ict/ossdocs/java/jdk1.1.3/docs/guide/reflection/index.html](#) - 3k - [Cached](#) - [Similar pages](#)

ImplicitService (ProActive API)

java.lang.Object extended by **org.objectweb.proactive.core.event**. ... and unwrapping of the

primitive types follows the same rule as in the **Reflection API**. ...

www-sop.inria.fr/oasis/javall/doc/release-doc/

[api/org/objectweb/proactive/ext/implicit/ImplicitService.html](#) - 43k - [Cached](#) - [Similar pages](#)

Result Page: **[Previous](#)** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) **[Next](#)**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Search](#)[Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about 570,000 for [GUI java core reflection api](#). (0.11 seconds)**Java Reflection**

Take an in-depth look at the **Java Reflection API** When you are creating ... and **core reflection** Approaching conventional batch file processing with **Java** in a ...
www.javaolympus.com/J2SE/Reflection/Reflection.jsp - 49k - [Cached](#) - [Similar pages](#)

Core Java Technologies Tech Tips

Table of Contents for **Core Java** Technologies Tech Tips, ... Using Class Methods and Variables and Using Progress Bars and Monitors in **Java GUI** Applications ...
java.sun.com/developer/JDCTechTips/ - 45k - [Cached](#) - [Similar pages](#)

Lesson: JavaBeans Concepts (The Java™ Tutorials > JavaBeans(TM))

The Introspector class relies on the **core reflection API**. ... **GUI** (graphical user interface); Non-visual beans, such as a spelling checker; Animation applet ...
java.sun.com/docs/books/tutorial/javabeans/whatis/index.html - 12k - [Cached](#) - [Similar pages](#)
[[More results from java.sun.com](#)]

Debian GNU/Linux Java FAQ. - Java Development

Java uses dynamic linking at runtime. Using the **reflection API** and class loading, the linking can ... 5.4 How can I make a DFSG compliant **Java GUI** program? ...
www.debian.org/doc/manuals/debian-java-faq/ch5.html - 19k - [Cached](#) - [Similar pages](#)

Java 911, MIND, February 1997

By using the **Core Reflection API**, you will be able to look up and invoke the ... **GUI** threads in **Java** have lots of other stuff to do—like painting your ...
www.microsoft.com/mind/0297/Java9110297.asp - 31k - [Cached](#) - [Similar pages](#)

Amazon.com: Core Java(TM) 2, Volume I--Fundamentals (7th Edition ...

Object-oriented programming; **Reflection** and proxies ... And while no single book can cover the complete **Java API**, this book does a good job of documenting ...
www.amazon.com/Core-Java-TM-I-Fundamentals-7th/dp/0131482025 - 135k - May 9, 2007
- [Cached](#) - [Similar pages](#)

Amazon.com: .NET for Java Developers: Migrating to C#: Books ...

Chapter 21, **GUI** Programming in C#, is brimming with practical advice for **GUI** builders. ... Both C# and **Java** provide a great set of **reflection API** classes. ...
www.amazon.com/.NET-Java-Developers-Migrating-C/dp/product-description/0672324024 - 66k - [Cached](#) - [Similar pages](#)

JAV106 - Advanced Java Programming

Use the **Reflection API** for highly generic tasks, discovery, ... Use the **Java 5.0 Core API** and related tools to develop robust multi-tier applications. ...
www.butrain.com/share/scedesc.asp?CID=8566 - 26k - [Cached](#) - [Similar pages](#)

Amazon.co.uk: Core Java 2: Fundamentals v. 1 (Core): Books: Cay S ...

Inner classes, **reflection**, and dynamic proxies Application packaging and the Preferences **API** The seventh edition of **Core Java™ 2, Volume I**, ...
www.amazon.co.uk/Core-Java-Fundamentals-v/dp/product-description/0131482025 - 54k - [Cached](#) - [Similar pages](#)

O'Reilly - Safari Books Online - 0672324024 - .NET for Java ...

Download "**Java** and C# **API** Comparison" **Java** and C# **API** Comparison ... The **core** classes for **reflection** in C# are stored in the System.**Reflection** namespace. ...
safari.oreilly.com/0672324024/ch22lev1sec1 - [Similar pages](#)

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 36,700 for **generating instances pipe class java core reflection api**. (0.49 secor

[PDF] A Comparison of Component Integration between JavaBeans and PCTE 1 ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

For example, both ends of a **Pipe** component may be connected to the same Valve ... An alternate approach would be to use the **Java Core Reflection API** [4] to ...

www.sei.cmu.edu/pacc/icse98/papers/seacord.pdf - [Similar pages](#)

Get Moving with Java-XML Serialization Using XStream

In contrast, **Java-XML** serialization employs a runtime conversion approach that relies upon the **reflection API** to convert a **Java** object to an XML document ...

www.devx.com/xml/Article/30068/1954?pf=true - 17k - [Cached](#) - [Similar pages](#)

A New Era for Java Protocol Handlers

URL **class** implementation really is. A **java.net.URL** object **instance** is used to represent a URL ... The **Java 2 Core API** depends heavily on the URL **class**. ...

java.sun.com/developer/onlineTraining/protocolhandlers/ - 60k - [Cached](#) - [Similar pages](#)

platform: Meet a NetBeans Module Writer: Chuk Munn Lee

You can get a **Java** application to interact with a Star Office **instance** in a ... once this is connected you just add it to the NetBeans **API's** TopComponent. ...

platform.netbeans.org/articles/nbm_interview_chuk.html - 32k - [Cached](#) - [Similar pages](#)

[PDF] CORBA and Java Compared: Object Model

File Format: PDF/Adobe Acrobat - [View as HTML](#)

For the **Java** Object Model, an object is an **instance** of a **class**. ... support in **Java** and integrated **reflection** APIs into the **Java Core** classes. The methods ...

dsrg.mff.cuni.cz/publications/obm0907.pdf - [Similar pages](#)

O'Reilly Media -- Bookstore: Java in a Nutshell, Fifth Edition

core Java APIs, 1 extensions, 1 platforms and operating systems, 2 ... **Reflection API**, changes to, 529 AnnotatedElement, 531 Constructor **class**, 533 ...

www.oreilly.com/catalog/javanut5/inx.html - 345k - [Cached](#) - [Similar pages](#)

Mailing list archives

If I could **generate** a >> single **class** that for the entire target, ... on our **class** loader that will let you **pipe** the bytes directly into our **instance** so you ...

mail-archives.apache.org/.../200309.mbox/%3CA71C08C8-DF7F-11D7-99BA-000393DB559A@coredevelopers.net%3E - 8k - [Cached](#) - [Similar pages](#)

CMSC 433, Spring 2004 -- Project 1 - Due February 11, 2004

This assignment will be easier if you make good use of the **Java 1.4 core API**. For example, the URL **class** in **java.net** is very helpful for the Proxy servlet. ...

www.cs.umd.edu/class/spring2004/cmsc433/p1/ - 16k - [Cached](#) - [Similar pages](#)

[PDF] Service-oriented Middleware for Hybrid Environments

File Format: PDF/Adobe Acrobat - [View as HTML](#)

WSKPeer **API**. It is made up of four **core** classes: • Message This **class** represents the actual ... is analogous to the **Java reflection API**, however we do not ...

www.cl.cam.ac.uk/~ey204/ADPUC/ADPUC_SCHEDULE/Papers/a2-harrison.pdf - [Similar pages](#)

Jython User Guide

In order to give a python-**class**-like view on python side and for implementation reasons

jython wraps **java** classes (in **instances** of org.python.core. ...

www.jython.org/Project/userguide.html - 80k - [Cached](#) - [Similar pages](#)

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

generating instances pipe class java core refle

[Search](#)[Advanced Search](#)
[Preferences](#)

Web Results 11 - 20 of about 36,700 for **generating instances pipe class java core reflection api**. (0.36 sec)**[PDF] [from models to code with the eclipse modeling](#)**File Format: PDF/Adobe Acrobat - [View as HTML](#)2. **Generate Java** code for model. 3. Iteratively develop **Java** application ... A generic EMF model editor uses the **reflection API** ...[www.eclipsecon.org/2005/presentations/EclipseCon2005_Tutorial11final.pdf](#) - [Similar pages](#)**[PDF] [Virtual Machine Technologies: Core Software Framework v2](#)**File Format: PDF/Adobe Acrobat - [View as HTML](#)collection operations. The names of user defined classes can be retrieved by means of **class** introspection. (**Java Reflection API**). Just before dispatching a ...[mikado.di.fc.ul.pt/repository/D3.1.3.pdf](#) - [Similar pages](#)**[Oracle Sqlj Frequently Asked Questions](#)**My code declares a block-level iterator **class**, and an **instance** of this **class** is later created ... These SQLJ runtimes minimize the use of **Java reflection**. ...[www.oracle.com/technology/tech/java/sqlj_jdbc/htdocs/faq.html](#) - 275k -[Cached](#) - [Similar pages](#)**[Uses of Class java.lang.Object \(Java Platform SE 6\)](#)**An **instance** of this **class** is used to **generate** a stream of pseudorandom numbers. ... The **class** provides an implementation of the **Java Accessibility API** ...[java.sun.com/javase/6/docs/api/java/lang/class-use/Object.html](#) - [Similar pages](#)**[PDF] [Implementations of a Service-Oriented Architecture on top of Jini ...](#)**File Format: PDF/Adobe Acrobat - [View as HTML](#)is going to be wrapped in an **instance** of the **class** ... The peer group contains the **core ICENI ser-** ... will return a **Java Reflection Proxy** implementing ...[www.nesc.ac.uk/events/ahm2003/AHMCD/pdf/142.pdf](#) - [Similar pages](#)**[O'Reilly Media -- Bookstore: Learning Java, Second Edition](#)****core Java APIs**, 25 classes, finding with interpreter, 68 packages, 38 ... **Reflection API**, 180, 182 **RMISecurityManager**, 363 **SecurityManager class**, 659, 744 ...[www.oreilly.com/catalog/learnjava2/inx.html](#) - 277k - [Cached](#) - [Similar pages](#)**[Writing UNO Components](#)**File Format: Unrecognized - [View as HTML](#)**generate Java class** files for new types from rdb ... Basic uses the **UNO core reflection** service to get type information at runtime. The **core reflection** is ...[api.openoffice.org/docs/DevelopersGuide/Components/Components.xhtml](#) - [Similar pages](#)**[The K-Zone: An introduction to Perl for Java programmers](#)**To call method **m** at the **class** level in **Java**, we would write (inside another ... method is defined (in **Java**, we'd need to use the **reflection API** to do this). ...[www.kevinboone.com/javaperl.html](#) - 84k - [Cached](#) - [Similar pages](#)**[Uses of Class java.lang.Object \(aicas JamaicaVM - API\)](#)****Class** whose **instances** represent **Java** classes. **class**, **ClassCastException** ...**IllegalAccessException** is thrown by **reflection** code if an attempt is made to ...[www.aicas.com/jamaica/doc/jamaica_api/java/lang/class-use/Object.html](#) - [Similar pages](#)

Ruby Forum - Extremely Noobish Documentation Question

Another solution is to **generate** the **api** yourself with rdoc. ... IO.popen(args) # depending on presence of **pipe** character end private :open end **class** IO def ...
www.ruby-forum.com/topic/89456 - 43k - [Cached](#) - [Similar pages](#)

Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google